International Journal of Recent Advances in Multidisciplinary Topics
Volume 7, Issue 7, July 2026
www.ijramt.com | E-ISSN: 2582-7839 | RESAIM Publishing | www.resaim.com

Intellectual Disability in Context: Definitions, Etiological Factors, Diagnostic Approaches, and Multidimensional Intervention Strategies

Sulaiman Alharbi*
Department of Psychology, Riyadh, Saudi Arabia

***Abstract*: Background: Intellectual disability (ID) is a lifelong neurodevelopmental disorder with significant implications for individuals, families, and educational systems. Despite its prevalence, conceptual and practical challenges remain in defining, diagnosing, and supporting individuals with ID, particularly within Arab contexts. Aim: This conceptual review aims to synthesize contemporary literature on the definition, etiological factors, diagnostic procedures, and evidence-based interventions for ID, with a specific focus on shifting from a deficit-based model to a supports-based model. Methods: A narrative review of peer-reviewed literature, guidelines from the American Association on Intellectual and Developmental Disabilities (AAIDD), and regional Arabic sources was conducted. Results: The AAIDD (2002) defines ID as significant limitations in both intellectual functioning and adaptive behavior originating before the age of 18. Although etiological factors exceed 200 causes, 75% of cases remain idiopathic. These causes are categorized into prenatal (genetic and non-genetic), perinatal, and postnatal factors. Best practices emphasize the importance of multidimensional assessment over the sole reliance on Intelligence Quotient (IQ). Furthermore, interventions are structured across primary, secondary, and tertiary prevention levels, encompassing medical, psychological, social, and educational domains. Conclusion: Adopting a supports-based, culturally responsive framework is essential for improving outcomes and social inclusion for individuals with ID in Saudi Arabia and the wider Arab world.**

***Keywords*: Intellectual Disability, Adaptive Behavior, Etiology, Multidimensional Assessment, Prevention, Inclusion.**

1. Introduction

Intellectual disability (ID) has become a central focus within the fields of psychology, special education, medicine, and social policy, owing to its direct impact on cognitive competence, adaptive functioning, and societal participation [Al-Harbi, 2010]. Societies inherently rely on the cognitive and adaptive capacities of their constituents to advance economically, socially, and culturally. Consequently, ID represents a distinct and complex challenge that cannot be subsumed under other disability categories. Unlike physical or sensory impairments, ID fundamentally compromises core domains of reasoning, learning, problem-solving, and adaptive behavior, thereby necessitating specialized, lifelong support mechanisms [Al-Qaryouti, Al-Sartawi, & Al-Samadi, 2013].

The expansion of services tailored for individuals with ID has driven the development of formal eligibility criteria, professional benchmarks, and legislative frameworks. As a result, ID has evolved from a strictly clinical diagnosis into a major social and policy concern. A critical attribute of ID is its universality: it does not discriminate on the basis of socioeconomic status, parental education, or geographic location. It affects affluent and impoverished families, as well as educated and uneducated populations, with comparable prevalence rates [Al-Hawarna, 2018].

Historical perspectives on ID have varied significantly over time. In ancient Greece, individuals with ID were frequently marginalized, with identification predominantly based on visible physical anomalies. The advent of Christianity subsequently introduced doctrines of compassion and institutional care. Within the Islamic tradition, the teachings of Prophet Muhammad established robust, fundamental rights for persons with disabilities, framing the provision of support as both a religious obligation and a collective societal responsibility [Wadi, 2008]. This cultural and religious context carries profound relevance for contemporary research and clinical practice within Saudi Arabia.

Given this inherent complexity, this review seeks to provide a comprehensive, academically rigorous synthesis of ID, encompassing its definition, etiology, assessment methodologies, and intervention paradigms.

2. Defining Intellectual Disability: The Paradigm Shift from Retardation to Support Systems

A. The Comprehensive Conceptualization of Disability

Disability is systematically conceptualized as a functional impairment compromising physical, sensory, cognitive, or congenital operations. It manifests as a chronic limitation that adversely diminishes individual capacities, thereby generating structural barriers that impede full and equitable engagement in educational, vocational, and psychosocial opportunities standardly accessible to typically developing peers [Al-Harbi, 2010].

*Corresponding author: asdh555@yahoo.com

B. Operational Definitions of Intellectual Disability

Academic literature has witnessed a significant evolution in conceptualizing intellectual disability (ID). Early frameworks, such as Heber's foundational definition, delineated ID as a generalized reduction in behavioral and mental performance manifested during the developmental period, co-occurring with deficits in adaptive behavior.

In the contemporary landscape, the formulation proposed by the American Association on Intellectual and Developmental Disabilities [AAIDD, 2002] has emerged as the most authoritative and influential paradigm guiding the field. The AAIDD operationalizes ID as "a disability characterized by significant limitations in both intellectual functioning and in adaptive behavior as expressed in conceptual, social, and practical adaptive skills. This disability originates before age 18" [p. 8].

This framework establishes a profound paradigm shift within empirical and clinical practices. By de-emphasizing intelligence quotient (IQ) scores as the sole diagnostic criterion, it introduces a multidimensional, three-domain model of adaptive behavior comprising:

1. *Conceptual Skills:* encompassing language, literacy, and numeracy concepts alongside monetary and temporal orientation.
1. *Social Skills:* incorporating interpersonal proficiency, social responsibility, self-esteem, and adherence to normative rules and laws.
2. *Practical Skills:* embodying activities of daily living (ADLs), occupational competencies, and safety maintenance [AAIDD, 2002].

Crucially, the core contribution of the AAIDD framework lies in its definitive assertion that the functional capacity of an individual with ID is inherently malleable and capable of optimization. This advancement is contingent upon the provision of sustained, individualized, and precisely targeted support systems over time. Consequently, this shift reposhents the field away from a static, deficit-based medical model toward a dynamic, ecological, and supports-based paradigm

3. Etiological Factors: A Tripartite Chronological Classification

Extensive empirical research has identified over 200 potential etiologies associated with intellectual disability (ID). However, in approximately 75% of diagnosed cases, a specific, definitive etiology remains undetermined [AAIDD, 2002]. For epidemiological, preventative, and clinical purposes, these etiological factors are systematically classified based on chronological onset: prenatal, perinatal, and postnatal periods.

A. Prenatal Etiologies

These factors transpire from the inception of fertilization through the onset of labor and are categorically bifurcated into genetic and non-genetic determinants.

B. Genetic Factors

Genetic determinants involve the transmission of aberrant hereditary information. This domain encompasses inherited pathological conditions as well as chromosomal abnormalities arising during meiosis, fertilization, or embryogenesis. Human phenotypic and genotypic characteristics are encoded by an estimated 60,000 to 100,000 genes situated on the chromosomes [Al-Harbi, 2010].

Crucially, consanguinity constitutes a statistically significant risk factor within the Arab world, as it exponentially increases the probability of both parents harboring the identical recessive, deleterious allele [Al-Harbi, 2010]. Hereditary transmission within this framework operates via three distinct mechanisms:

1. *Dominant Alleles:* requiring the inheritance of only a single copy for phenotypic expression.
2. *Carrier Alleles:* which remain recessive and phenotypically unexpressed within the heterozygous carrier.
3. *Recessive Alleles:* requiring homozygous inheritance (two identical copies) to manifest, and are etiologically responsible for numerous hereditary forms of ID.

C. Non-Genetic or Teratogenic Factors

These environmental determinants exert an etiological impact comparable to that of genetic factors. This category encompasses maternal infections (e.g., rubella), severe maternal malnutrition, exposure to ionizing radiation, and teratogenic agents, including specific pharmacological interventions, alcohol, and illicit substances [Al-Harbi, 2010].

D. Perinatal Etiologies

These factors transpire concurrently with the parturition process. The two primary etiologies comprise:

1. *Perinatal Hypoxia:* characterized by systemic oxygen deprivation, which precipitates widespread neuronal apoptosis and necrosis due to the brain's high metabolic demand.
2. *Birth Trauma:* including mechanical complications arising from forceps-assisted delivery or obstetric difficulties that can induce intracranial hemorrhage or cortical damage [Al-Harbi, 2010].

E. Postnatal Etiologies

These manifestations occur subsequent to birth, predominantly within the first decade of life. Critical determinants include:

1. *Malnutrition:* which can result in cerebral atrophy. The heightened prevalence of ID within lower socioeconomic strata is frequently correlated with these nutritional deficiencies [Al-Harbi, 2010].
2. *Acquired Brain Injury (ABI):* originating from accidents or physical trauma that directly compromise cerebral tissue and cognitive functioning.

4. Diagnostic and Assessment Procedures

The diagnostic trajectory entails prognostic implications that extend far beyond administrative educational placement. It fundamentally reshapes the psychosocial well-being of the child and the family unit, while concurrently delineating future

developmental and vocational trajectories [Al-Harbi, 2010].

Contemporary best practices robustly reject a monolithic reliance on standardized intelligence quotient (IQ) psychometrics. Instead, they mandate a comprehensive, multidimensional, and ecological assessment framework [Al-Hawarna, 2018], which systematically integrates:

1. *Medical and Genetic Evaluation:* to differentially diagnose and rule out comorbid or co-occurring clinical conditions.
2. Cognitive and Psychological Testing.
3. *Direct Assessment of Adaptive Behavior:* evaluated across ecological settings, including home, school, and community contexts.
4. *Granular Family and Social History.*
5. *Academic and Educational Performance Metrics:* This integrated, multidisciplinary approach ensures psychometric and diagnostic fidelity, while establishing an empirical, direct nexus to individualized intervention planning.

5. Intervention: A Continuum of Prevention and Support

Drawing upon the theoretical framework of Scott and Karen [as cited in Al-Harbi, 2010], intervention within the context of intellectual disability is systematically conceptualized across three integrated and complementary levels of prevention.

A. Primary Prevention

This foundational tier aims to mitigate the initial incidence and onset of intellectual disability. Proactive strategies within this dimension encompass comprehensive prenatal care, public health campaigns targeting the avoidance of teratogenic agents, genetic counseling, and targeted measures addressing the epidemiological risk factors associated with consanguinity.

B. Secondary Prevention

This level centers on early detection, screening, and the mitigation of clinical severity. It systematically integrates developmental screening, early intervention regimens, and specialized early childhood education programs designed to foster and accelerate foundational adaptive skills.

C. Tertiary Prevention

This tier seeks to optimize the individual's latent potential while minimizing the functional and systemic impact of the disability. It entails strategic environmental modifications, highly specialized instruction, and systemic community inclusion initiatives aimed at preventing secondary sequelae, such as social marginalization and exclusion [Al-Qaryouti et al., 2013].

D. Domain-Specific Interventions

- *Medical Intervention:* Encompasses the pharmacological and therapeutic management of comorbid physical and psychiatric conditions.
- *Psychological Intervention:* Involves the provision of family counseling to facilitate psychosocial adjustment and systemic resilience, alongside individual psychotherapeutic modalities addressing anxiety, maladaptive behaviors, and self-concept development [Al-Hawarna, 2018].
- *Social Intervention:* Focuses on structured training in activities of daily living (ADLs) and interpersonal competencies, alongside the establishment of protective legal frameworks against exploitation, thereby facilitating seamless community integration.
- *Educational Intervention:* Mandates specialized, individualized instruction to maximize cognitive and behavioral potential, cultivate functional skills, and deliver vocational preparation crucial for achieving socioeconomic independence and self-efficacy [Saleh, 2016].

6. Conclusion and Future Directions

Intellectual disability is a multifaceted, multi-determined condition governed by intersecting etiological pathways. The foundational paradigm shift from a deficit-centered framework to an ecological, supports-based model as articulated by the AAIDD constitutes a cornerstone of contemporary empirical and clinical practice [AAIDD, 2002]. Consequently, this comprehensive review underscores the critical imperative for implementing multidimensional assessment frameworks and synthesizing multi-systemic intervention regimens.

Within the Saudi Arabian and broader Arab contexts, integrating evidence-based practices with deep-seated cultural values specifically family cohesion and communal solidarity is of paramount significance. Future research trajectories must prioritize the development, standardization, and empirical validation of culturally and linguistically appropriate assessment psychometrics and intervention models. This strategic alignment will ensure that diagnostic and therapeutic provisions are not only scientifically rigorous but also ecologically valid, socially relevant, and culturally meaningful.

References

[1] American Association on Intellectual and Developmental Disabilities, *Mental Retardation: Definition, Classification, and Systems of Supports*, 10th ed. Washington, DC, USA: AAIDD, 2002.

[2] S. I. Al-Harbi, *Psychology of Intellectual Disability*. Amman, Jordan: Al-Maktabah Al-Asriyah, 2010.

[3] M. N. Al-Hawarna, *Psychology of Rehabilitation for Children with Special Needs*. Amman, Jordan: Dar Al-Asar Al-Ilmi, 2018.

[4] Z. A. Saleh, Psychology of Exceptionalities: An Introduction to the Study of Individuals with Special Needs. Amman, Jordan: Dar Safa, 2016.

[5] Y. Al-Qaryouti, A. Al-Sartawi, and J. Al-Samadi, *Introduction to Special Education*. Dubai, UAE: Dar Al-Qalam, 2013.

[6] A. Wadi, *Intellectual Disability*. Amman, Jordan: Dar Osama, 2008.

[7] S. Mohammed, A Safe Learning Environment for People with Integrated Mental Disabilities. Cairo, Egypt: Arabic Company for Education, 2022.

[8] J. Santambrogio, "Prevalence of mental disorders in people with intellectual disabilities across the lifespan: an umbrella review," *medRxiv preprint*, Sep. 2025.